

09/407,664

99AB173

---

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings of claims in the application.

**Listing of claims:**

1-39 (Cancelled).

40. (Currently Amended) A factory automation system for providing status information on at least one factory automation component, comprising:  
a factory automation component distributed by a first party;  
the component residing at a site location of a second party; and  
the component communicating status information directly to the first party  
wherein the first party compiles the status information from the component and utilizes the status information to the benefit of the second party, the status information comprises component source information, first party site address information, component type information, second party site information and component health information;  
wherein the server site of the first party communicates version upgrade information to the component in response to version information from the component that does not correspond to a latest version.

41. (Original) The system of claim 40, wherein the status information is periodically communicated by the component directly to the first party.

42. (Original) The system of claim 40, wherein the first party is a vendor and/or service supplier of the component.

43. (Original) The system of claim 40, wherein the second party is a purchaser of the component and the site location is a factory of the purchaser where the component resides.

09/407,66499AB173/ALBRP158US

44. (Original) The system of claim 40, wherein the component communicates component health information to the first party from the location site of the second party.

45. (Original) The system of claim 44, wherein the health information is selected from the group consisting of a component failure, a component degradation and a component out of calibration.

46. (Original) The system of claim 44, wherein the site of the first party communicates patch information to the component in response to health information from the component.

47. (Original) The system of claim 40, wherein the component includes a self diagnosis device.

48. (Cancelled).

49. (Original) The system of claim 40, wherein the server site of the first party transmits a signal to the component in response to status information from the component that initiates an action by the component.

09/407,664

99AB173/ALBRP158US

50. (Currently Amended) An Internet business communication system, including:

a website ~~adapted to be~~ employed by a vendor for receiving factory automation component status information over the Internet directly from a plurality of factory components residing at one or more customer sites, each component having a different IP address, the website matching component information residing at the vendor's website with the IP address of the component and providing this information to the vendor, the status information comprises component type information, component health information, customer name information, customer site information and component location information;

wherein the status information further includes the component version information, such that the website communicates version upgrade information to at least one of the plurality of components in response to outdated component version information.

51. (Original) The system of claim 50, wherein the factory automation component status information is periodically received by the vendor.

52. (Original) The system of claim 50, wherein the status information includes the component's health information, such that the vendor can communicate to a customer that one of the plurality of components in the one or more customer sites require attention by the customer.

53. (Currently Amended) The system of claim 50, wherein the status information includes the component's version information, such that the website ~~facilitator~~ can communicate to a customer that one of the plurality of components in the one or more customer sites require a version update.

54. (Original) The system of claim 50, wherein the status information includes customer identification information, customer site information and the component location within the customer's site.

09/407,66499AB173/ALBRP158US

55. (Original) The system of claim 50, wherein the component information includes customer identification information, customer site information and the component location within the customer's site.

56. (Original) The system of claim 50, wherein the status information includes component health information and the website can communicate patch information to at least one of the plurality of components in response to component health information.

57. (Cancelled).

58. (Original) The system of claim 50, wherein the website transmits a signal to at least one of the plurality of components in response to status information from the component that initiates an action to the component.

09/407.664

99AB173/ALBRP158US

59. (Currently Amended) A method of providing status information to a vendor on at least one factory automation component sold by the vendor to at least one customer, comprising the steps of:

locating at least one component at a site of at least one customer;

connecting the at least one component to a network connected to a server of the vendor;

communicating component status information from the at least one component directly to the server of the vendor, the status information comprises component source address information, vendor site address information, component version information and customer site information;

searching a database located on the server of the vendor for customer identification information and component location information corresponding to the status information of the at least one component; and

outputting the customer identification information and component status and location information to the vendor; and

communicating version upgrade information from the server to the at least one component in response to version information from the at least one component that does not correspond to the latest version.

60. (Original) The method of claim 59, wherein the status information includes an IP address associated with the component and the step of searching includes matching the customer identification information and component location information corresponding to the IP address included in the status information.

61. (Original) The method of claim 59, further including the step of communicating a signal to the at least one component from the server in response to the component status information that initiates an action to the at least one component.

62. (Original) The method of claim 59, wherein the server determines if the at least one component has enabled the at least one component to receive communication from the server.

09/407,664

99AB173/ALBRP158US

63. (Original) The method of claim 59, wherein the status information includes component health information of the at least one component.

64. (Original) The method of claim 63, wherein the server communicates patch information to the component in response to health information from the component.

65. (Cancelled).

66. (Cancelled).

67. (Currently Amended) A computer memory, comprising:  
a periodic status message, stored in the computer memory, provided by a factory automation component, the status message including health information relating to the factory automation component, the factory automation component having an IP address.

68. (Previously Presented) The computer memory of claim 67, further comprising a vendor website which matches the IP address of the component with customer identification information and component location information.

09/407,664

99AB173/ALBRP158US

69. (Currently Amended) An Internet business communication system, including:

means for receiving factory automated component status information directly from a factory automated component over the Internet, the status information comprises customer site information, customer name information, component type information, vendor site address, component location, and component version information; and

means for matching a factory automated component location and customer identification information with status information provided by the factory automated component over the Internet, the status information including information relating to the health of the component wherein the component is located at a site location of a customer and communicates status information to a site of a vendor; and

means for communicating version upgrade information to the factory automated component upon a determination that component version information of the factory automated component is outdated.

70. (Currently Amended) A factory automated component, comprising:  
a processor;  
a memory coupled to the processor; and  
a network interface coupled to the processor for directly transmitting and receiving data with at least one remote computer system, wherein the factory component communicates status information to the at least one remote computer system, the status information comprises component version information, customer site information, customer name information, vendor site address information and component health information, and wherein the at least one remote computer system communicates version upgrade information to the factory component in response to version information from the factory component that does not correspond to the latest version.

71. (Previously Presented) The component of claim 70, wherein the status information is communicated periodically and includes health information related to the health of the component.

09/407,664

99AB173/ALBRP158US

72. (Previously Presented) The component of claim 70, wherein the processor includes a self diagnosis device.

73. (Previously Presented) The component of claim 70, wherein the component includes an enabled mode for receiving communication from the at least one computer and a disabled mode blocking communication from at least one computer.

74. (Currently Amended) A system for monitoring factory automated components electronically, comprising:

a central server adapted to receive status information directly from one or more factory automated components located at one or more customer sites, the central server being located at a site of a vendor, wherein the server is configured to match component status information to customer identification information and component location information of the one or more factory automated components and output this information to the vendor, the status information comprises component location information, customer site information, vendor site information and component source address information, and wherein the status information includes the component's version information, such that the server can communicate to a customer that one or more components require a version update.

75. (Cancelled).

76. (Previously Presented) The system of claim 74, wherein the server transmits a signal to the one or more components *via* the at least one remote computer in response to status information from the component that initiates an action to the component.

77. (Previously Presented) The system of claim 74, wherein the server hosts a website of the vendor and the server matches the component status information with the customer identification information and component location information by using an IP address associated with the component.



09/407,664

99AB173/ALBRP158US

78. (Previously Presented) The system of claim 74, wherein the status information includes the components health information, such that the vendor can communicate to a customer that the one or more components in the one or more customer sites require attention by the customer.

79. (Currently Amended) A system for providing status information to a vendor on at least one factory automation component sold by the vendor to at least one customer, comprising:

means locating at least one component at a site of at least one customer;

means for connecting the at least one component to a network connected to a server of the vendor;

means for communicating component status information from the at least one component directly to the server of the vendor, the status information comprises component type information, customer site information, component version information, component source address information and vendor site address information;

means for searching a database located on the server of the vendor for customer identification information and component location information corresponding to the status information of the at least one component; and

means for outputting the customer identification information and component status and location information to the vendor; and

means for communicating version upgrade information from the server to the at least one component to upgrade the at least one component.